

```
all: LoanVal.class CashierGen CashierRep TeamGen TeamRep
```

```
LoanVal.class: LoanVal.java LoanVal.html  
javac LoanVal.java  
cp *.html *.class /var/www/html/js
```

```
a.out: it.cpp  
cp it.cpp it.sqC  
(db2 connect to cashdb; db2 prep it.sqC validate run) || true  
g++ -Wall -I/usr/db2dev/sql/lib/include it.C \  
-L/usr/db2dev/sql/lib \  
-Wl,-rpath,/usr/db2dev/sql/lib -ldb2 \  
-oa.out
```

```
TeamRep: TeamRep.cpp  
cp TeamRep.cpp TeamRep.sqC  
(db2 connect to teamdb; db2 prep TeamRep.sqC validate run) || true  
g++ -Wall -I/usr/db2dev/sql/lib/include TeamRep.C \  
-L/usr/db2dev/sql/lib \  
-Wl,-rpath,/usr/db2dev/sql/lib -ldb2 \  
-oTeamRep
```

```
TeamGen: TeamGen.cpp  
cp TeamGen.cpp TeamGen.sqC  
(db2 connect to teamdb; db2 prep TeamGen.sqC validate run) || true  
g++ -Wall -I/usr/db2dev/sql/lib/include TeamGen.C \  
-L/usr/db2dev/sql/lib \  
-Wl,-rpath,/usr/db2dev/sql/lib -ldb2 \  
-oTeamGen
```

```
CashierRep: CashierRep.cpp  
cp CashierRep.cpp CashierRep.sqC  
(db2 connect to cashdb; db2 prep CashierRep.sqC validate run) || true  
g++ -Wall -I/usr/db2dev/sql/lib/include CashierRep.C \  
-L/usr/db2dev/sql/lib \  
-Wl,-rpath,/usr/db2dev/sql/lib -ldb2 \  
-oCashierRep
```

```
CashierGen: CashierGen.cpp  
cp CashierGen.cpp CashierGen.sqC  
(db2 connect to cashdb; db2 prep CashierGen.sqC validate run) || true  
g++ -Wall -I/usr/db2dev/sql/lib/include CashierGen.C \  
-L/usr/db2dev/sql/lib \  
-Wl,-rpath,/usr/db2dev/sql/lib -ldb2 \  
-oCashierGen
```

```
MicroEmulator.class: MicroEmulator.java MicroProg.bin  
javac MicroEmulator.java  
cp *.html *.class MicroProg.bin /var/www/html/js
```

```
MicroProg.bin: MicroProg.cpp  
g++ MicroProg.cpp  
./a.out > MicroProg.bin
```