

makefile.txt

all: Pathfinding Search ImageScaling PeepholeConverter.class PeepholeViewer.class
OrderRep OrderGen

Pathfinding: gg.cpp
g++ gg.cpp -ogg

Search: cmd.cpp
g++ cmd.cpp -ocmd

ImageScaling: ImageScaling.cpp
g++ ImageScaling.cpp -oImageScaling

PeepholeConverter.class: PeepholeConverter.java
javac PeepholeConverter.java

PeepholeViewer.class: PeepholeViewer.java
javac PeepholeViewer.java

OrderGen: OrderGen.cpp
cp OrderGen.cpp OrderGen.sqC
(db2 connect to egpc; \
db2 prep OrderGen.sqC validate run datetime iso) || true
g++ -Wall -I/usr/db2dev/sqllib/include OrderGen.C \
-L/usr/db2dev/sqllib/lib \
-Wl,-rpath,/usr/db2dev/sqllib/lib -ldb2 \
-oOrderGen

OrderRep: OrderRep.cpp
cp OrderRep.cpp OrderRep.sqC
(db2 connect to egpc; \
db2 prep OrderRep.sqC validate run datetime iso) || true
g++ -Wall -I/usr/db2dev/sqllib/include OrderRep.C \
-L/usr/db2dev/sqllib/lib \
-Wl,-rpath,/usr/db2dev/sqllib/lib -ldb2 \
-oOrderRep